



# Complete the healing

YOUR PHYSICIAN'S CHOICE FOR ADVANCED SCAR TREATMENT




## BIOCORNEUM<sup>®</sup>

ADVANCED SCAR TREATMENT  
+ 1% HYDROCORTISONE ACETATE

SILISHIELD<sup>®</sup> PATENTED CROSSLINKING SILICONE  
+ ANTI-ITCH GEL

by **sientra.**



### **Why has my physician recommended I use BIOCORNEUM + ANTI-ITCH GEL?**

Your physician knows that BIOCORNEUM is the only advanced scar treatment with Silishield patented crosslinking silicone plus 1% hydrocortisone acetate to relieve itching.

### **How does BIOCORNEUM work?**

BIOCORNEUM's key ingredient, Silishield patented crosslinking silicone, forms a protective shield over the scar area that is optimal for physiological healing and cosmetic improvement. 1% hydrocortisone acetate helps to temporarily relieve itching caused by skin irritation and inflammation while treating your scar. Together, these factors help to keep skin hydrated and normalize excessive collagen formation that contributes to abnormal scarring. The shield also aids in protecting the underlying tissue against chemical, physical and microbial invasion. BIOCORNEUM + ANTI-ITCH may reduce redness, soften and flatten scars, and is ideal for new and old scars that itch.

### **How do I use BIOCORNEUM to get the best results?**

For maximum effectiveness, use BIOCORNEUM + ANTI-ITCH GEL as directed for up to 7 days, or as instructed by your physician. Following your treatment with BIOCORNEUM + ANTI-ITCH GEL, your physician may recommend that you use BIOCORNEUM + SPF 30 for the remaining duration of scar treatment. Please consult your physician to determine the best course of treatment for you.

# Directions for Treating New and Old Scars That Itch

## First 7 days of treatment (or as directed by your physician):

Apply **BIOCORNEUM + ANTI-ITCH GEL** (1% Hydrocortisone Acetate) to the treatment area.

### How to apply **BIOCORNEUM + ANTI-ITCH GEL**

- Ensure that the affected area is clean and dry.
- Apply a **very thin, even layer** up to 3-4 times daily for up to 7 days.
- **BIOCORNEUM** is quick-drying. Allow to **dry completely**.
- Once dry, **BIOCORNEUM** can be covered with pressure garments, clothing or cosmetics.

## Remainder of treatment:

Once you've completed treatment with **BIOCORNEUM + ANTI-ITCH GEL**, you may begin treatment with **BIOCORNEUM + SPF 30**. This will continue the scar healing process, while providing protection from sun exposure's darkening effects.

**BIOCORNEUM + SPF 30** should be applied twice per day. Recommended treatment time:

For new scars: **60 DAYS**

For older scars: **90 DAYS**

**AVAILABLE EXCLUSIVELY FROM YOUR PHYSICIAN**

**IMPORTANT:** **BIOCORNEUM + ANTI-ITCH GEL** is for external use only, and for the temporary relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, soaps, detergents and cosmetics. Avoid direct contact with eyes. Other uses of this product should be only under the advice and supervision of a physician. If condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use and ask a physician.

**Manufactured in the USA for** Sientra, Inc., Santa Barbara, CA 93117

**BIOCORNEUM®** and **Silishield®** are registered trademarks of Sientra, Inc. May be covered by one or more of the following U.S. Patents: #5,741,509; #8,021,683; #8,802,133; #9,336,546; #9,795,706

© 2019 Sientra, Inc. All rights reserved.

sientra.com • 888.708.0808

MDC-0345 R1

**sientra.**